

**HISK**  
HISKEI

# 2012 HISKEI COLLECTION



*Made in Japan*



#### INTERNATIONAL DISTRIBUTION

- <JAPAN> TOKAI GOLF CO.,LTD | Tel: 81 (0)2-3488-2190 | Email: s.matsumura@tokai-golf.com
- <CHINA> GV GOLF CHINA | Tel: 86 799 8788 7189 | Email: hinch02@hotmail.com
- <THAILAND> LOVE GREEN GOLF&SPORTS CO.,LTD | Tel: 66 (0)2 246 6088 / 6188 Fax: 66 (0)2 246 6089  
Email: lggs2005@hotmail.net
- <INDONESIA> PT. BNI LAMPADAMA GOLF&SPORTS | Tel: 62 (0)21 8778 2771/2 Fax: 62 (0)21 8779 1802  
Email: yun@lee@indoat.net.id
- <MALAYSIA> LOVE GREEN GOLF&SPORTS SDN. BHD | Mobile: 03 4252 4040 | Email: lggs2005@hotmail.net
- <RUSSIA> RUSSIA GOLF HOUSE | Tel: 7 903 258 0769 | Email: bh4200@yahoo.com
- <SPAIN> ONDA KOREA | Tel: 952 625 844, Mobile: 682 201 172 | Email: sook@spain-korea

GV GOLF KOREA | BD,5F No448-20, Sungnae-dong,Kangdong-ku,Seoul,Korea  
TEL:+82 2489 2931 | FAX:+82 2489 2933  
E-mail:gvtour@gvtour.com | Website: www.gvtour.com

ENGLISH



2012.

The change of the time for Hiskei Fitting will be continued.

Hiskei Fitting Club from Japan is truly the best club by bringing out the advantages from pro-golfer with craftsmanship. We have confidence that we are the best club in the golf industry by providing differentiated products through luxurious design as well as excellent technical skills, and by providing perfect quality control. Moreover, Hiskei brand is standing out as its optimal match by using advanced materials. Hiskei has been growing as a global brand with good reputation from the world. We will return your love by always getting ahead and innovative design, and we promise to do our best to be closer to customers in all sincerity.

Youn Shik, Shin  
Chief Executive Officer



# HK LG-350 DRIVER

- Highest allowable C.O.R. in this 460cc Titanium constructed driver head of gold-ion plating.
- Promote a flatter trajectory that enables optimum distance by attaching four screws in sole.
- DOT AT-46 graphite shafts that will be best for swing.



## HIGH-REPULSION

## LG-350 DRIVER

### ADDRESS



### SIDE



### FACE



### ART WORK



### DOT AT-46 SHAFT



### GRIP



### HISKEI LG-350 Driver specification (MAN)

LOFT	9.5	10.5	11.5
HEAD SIZE	460cc		
LIE	58		59
FLEX	R	SR	S
FACE ANGLE	H1		H
HEAD WEIGHT	193		186
HEAD MATERIAL	TITANIUM CASTING BODY		
FACE MATERIAL	BETA TITAN FACE		

# HK JP-360 DRIVER

- Realize Optimum MOI with 460cc head.
- A wide sweet area and Hi-Technology reduce hitting mistakes, resulting in stable and accurate shots.
- Five-divided construction of bulge and roll in face allows for internal weighting which reduces spin to promote a high-trajectory.



## HIGH-REPULSION

JP-360 DRIVER

ADDRESS



SIDE



FACE



ART WORK



## DOT AT-46 SHAFT



## GRIP



## HISKEI JP-360 Driver specification (MAN)

LOFT	10.5	11.5
HEAD SIZE	460cc	
LIE	58	
FLEX	R	SR S
FACE ANGLE	-1	
HEAD WEIGHT	193	
HEAD MATERIAL	6A-4Ti	
FACE MATERIAL	SP-700	

# HK FAIRWAYWOOD

HK FAIRWAYWOOD

- *Shallow face design that lowers the center of gravity, so every shot with these irons fly higher, straighter.*
- *Enable golfers to launch shots from any lie.*

ADDRESS




SIDE



FACE



ART WORK



DOT AT-46 SHAFT



GRIP



HISKEI Fairwaywood specification (MAN)

NO	LOFT	LIE	S/W	LENGTH
#3	16	58	D0	42.5
#5	19	58.5	D0	41.5
#7	22	59	D0	40.5

# HK A-1. A-2. A-3 IRON

HK A-1. A-2 A-3 IRON

- *Pitching head for pro-amateur golfer.*
- *Designed fro stable shot of pro golfer.*
- *Available in three different designs to allow versatility in selection.*



ART WORK A-1



A-2



A-3



## HISKEI A-1 FITTING IRON specification

IRON NO.	4#	5#	6#	7#	8#	9#	P#
LOFT	22	25	28	32	36	40	45
LIE	60	61	62	62.5	63	63.5	64
BOUNCE	0	0	1	2	3	4	5
WEIGHT	247	256	265	270	277	283	294

## HISKEI A-2 FITTING IRON specification

IRON NO.	4#	5#	6#	7#	8#	9#	P#
LOFT	22	25	28	32	36	40	45
LIE	60	61	62	62.5	63	63.5	64
BOUNCE	0	0	1	2	3	4	5
WEIGHT	247	256	265	270	277	283	294

## HISKEI A-3 FITTING IRON specification

IRON NO.	4#	5#	6#	7#	8#	9#	P#
LOFT	22	24	27	30	34	39	45
LIE	60	61	61.5	62	63	63	64
BOUNCE	-2	-2	-2	0	1	2	4
WEIGHT	247	256	265	270	277	283	294

# HK IRON

HK IRON

- *HK premium forged iron have been created in order to offer easier control to golfers.*
- *Stabilize a thin face to generate fast ball speeds and enhance distance control.*



FACE



U SHAPE GROOVE

ART WORK



LOW CENTER OF CAVITY DESIGN

## HISKEI FITTING IRON specification

IRON NO.	4#	5#	6#	7#	8#	9#	PW	AW	SW
LOFT	22	25	28	32	36	40	45	52	56
LIE	60	61	61	61.5	62	62.5	63	64	64
BOUNCE	1	1	3	4	4	5	6	8	10
WEIGHT	249	256	263	270	277	284	291	302	302

# HK WEDGE

HK WEDGE

- *Feature and advanced muscle-back design with perfectly positions the center of gravity for the ultimate in control and shot-shaping.*
- *Designed grooves result in higher ball spin rates.*



FACE



ART WORK



## HISKEI FITTING WEDGE specification

LOFT	50	52	54	56	58	60
LIE	64	64	64	64	64	64
BOUNCE	5	7	9	11	7	9
WEIGHT	305	305	305	305	305	305

# HK SERIES PUTTER

HK 350, 450, 550, 650, 750 PUTTER

- Allow for good feel and structured smooth movement.
- CNC-milled face of putters are based on successful traditional designs aspects that stress feel and simplicity in order to minimize common player mistakes at impact.
- Putt confidently and easily with HK series putters.



ART WORK

HK-350



HK-650



HK-450




HK-750



HK-550



GRIP



COVER



## HISKEI FORGED Putter specification

NO	LOFT	LIE	WEIGHT	LENGTH	
				M	L
HK-350	3	72	352	33.75	33.25
HK-450	3	72	352	33.75	33.25
HK-550	3	90	372	33.75	33.25
HK-650	3	72	352	33.75	33.25
HK-750	3	72	352	33.75	33.25



TIGER AT-46 (M)



TIGER AT-46 (L)



DOT AT-46



## HISIKI TIGER AT-46 specification

NO	WEIGHT (gr)	LENGTH (inch)	TIP O/D (mm)	BUTT O/D (mm)	TORQUE (deg)	C.P.M
S	55	45	8.55	15.10	4.00	250
SR	52	45	8.55	15.00	4.00	235
R	49	45	8.55	14.90	4.00	220
L	45	44	8.55	14.75	4.30	195

## HISIKI DOT AT-46 specification

NO	WEIGHT	LENGTH	TIP O/D	BUTT O/D	TORQUE	C.P.M
S	55	45	8.55	15.10	4.00	255
SR	52	45	8.55	15.00	4.00	240
R	49	45	8.55	14.90	4.00	225

AT-50



AT-60



AT-70



## HISIKI AT-50 specification

NO	S	SR	R	L
WEIGHT (gr)	54	51	48	44
LENGTH (inch)	45	45	45	44
TIP O/D (mm)	8.50	8.50	8.50	8.50
BUTT O/D (mm)	15.10	15.00	14.90	14.75
TORQUE (deg)	4.50	4.50	4.50	4.80
C.P.M	250	235	220	195

## HISIKI AT-60 specification

NO	S	SR	R	L
WEIGHT (gr)	65	63	60	55
LENGTH (inch)	45	45	45	44
TIP O/D (mm)	8.50	8.50	8.50	8.50
BUTT O/D (mm)	15.20	15.10	15.00	14.80
TORQUE (deg)	4.00	4.00	4.00	4.30
C.P.M	270	255	240	220

## HISIKI AT-70 specification

NO	S	SR	R	L
WEIGHT (gr)	73	70	67	62
LENGTH (inch)	45	45	45	44
TIP O/D (mm)	8.50	8.50	8.50	8.50
BUTT O/D (mm)	15.25	15.10	15.00	14.80
TORQUE (deg)	3.70	3.70	3.70	4.00
C.P.M	270	255	240	220


## HK F/W.U.T SHAFT

## HK SHAFT

TIGER FT-30 &amp; HD-30



DOT FT-30 &amp; HD-30



## HISKEI TIGER FT-30 . DOT FT-30 specification

NO	WEIGHT (gr)	LENGTH (inch)	TIP.O/D (mm)	BUTT.O/D (mm)	TORQUE (deg)	C.P.M
S	62	43	8.50	15.25	4.50	280
SR	59	43	8.50	15.10	4.50	265
R	56	43	8.50	14.85	4.50	250
L	54	42	8.50	14.80	4.70	230

## HISKEI TIGER HD-30 . DOT HD-30 specification

NO	WEIGHT (gr)	LENGTH (inch)	TIP.O/D (mm)	BUTT.O/D (mm)	TORQUE (deg)	C.P.M
S	58	41	9.40	15.10	4.30	265
SR	54	41	9.40	15.00	4.30	255
R	52	41	9.40	14.90	4.30	245
L	51	40	9.40	14.80	4.50	225


## HK IRON SHAFT



TIGER IT-30



DOT IT-30



## HISKEI TIGER IT-30 specification

NO	WEIGHT (gr)	LENGTH (inch)	TIP.O/D (mm)	BUTT.O/D (mm)	TORQUE (deg)	C.P.M
S	62	39	9.40	15.10	3.00	280
SR	61	39	9.40	15.05	3.00	275
R	60	39	9.40	15.00	3.00	270
L	56	39	9.40	14.90	3.30	250

## HISKEI DOT IT-30 specification

NO	WEIGHT (gr)	LENGTH (inch)	TIP.O/D (mm)	BUTT.O/D (mm)	TORQUE (deg)	C.P.M
S	62	39	9.40	15.10	3.00	280
SR	61	39	9.40	15.05	3.00	275
R	60	39	9.40	15.00	3.00	270
L	56	39	9.40	14.90	3.30	250